

## 165 GRAIN BULLETS:

**SECTIONAL DENSITY:** .248  
**DIAMETER:** .308"

**#3040 SP**  
**Ballistic Coefficient — .387**  
**C.O.L. — 3.230"**



**#3045 BTSP**  
**Ballistic Coefficient — .435**  
**C.O.L. — 3.230"**



POWDER	VELOCITY				
	2500 fps	2600 fps	2700 fps	2800 fps	2900 fps
AA 2520	42.0 gr.	44.2 gr.	46.5 gr.	48.7 gr.	
WIN 748		45.4 gr.	47.6 gr.	49.8 gr.	
IMR 4064		46.6 gr.	48.3 gr.	49.9 gr.	
WIN 760			51.7 gr.	54.4 gr.	57.0 gr.
IMR 4350		51.4 gr.	53.4 gr.	55.4 gr.	57.4 gr.
H414			53.2 gr.	55.8 gr.	58.3 gr.
H4350		51.9 gr.	53.9 gr.	55.9 gr.	57.9 gr.
IMR 4831		54.5 gr.	56.4 gr.	58.2 gr.	60.1 gr.
RL-19	53.6 gr.	55.6 gr.	57.6 gr.	59.6 gr.	

See Ballistics Tables on pages 141-143, 144-146, 241-242, 266-267, Vol. II

 Indicates maximum load • use with caution